ESD 112

Youth Telephone Survey Ages 10-17 Year 2000-01

| Year 2000-0 | I | |
|---|---|-----------------------------------|
| Youth Characteristics by ESD: | ESD % [95% C.I.] n = 238 | State % [95% C.I.] n = 1977 |
| Gender | | |
| Female | 58.1 % [49.3,66.4] | 49.6 % [46.8,52.4] |
| Male | 41.9 % [33.6 , 50.7] | 50.4 % [47.6,53.2] |
| maio | 11.0 70 [00.0,00] | 00.1 /0 [11.0 ,00.2] |
| Grade | | |
| 4th - 8th | 55.6 % [46.5,64.2] | 54.6 % [51.8,57.4] |
| 9th - 12th | 44.4 % [35.8 , 53.5] | 45.4 % [42.6,48.2] |
| Average weekly spending money | \$16.95 [12.5,21.4] | \$17.24 [16.0,18.5] |
| | | |
| | ESD % | State % |
| Youth Survey Responses by ESD: | [95% C.I.] | [95% C.I.] |
| | | |
| Current Tobacco Use (Any type) Current User | 700/1404401 | 700/100001 |
| Non-tobacco User | 7.0 % [4.0 , 11.8] | 7.6 % [6.3,9.2] |
| Non-tobacco Oser | 93.0 % [88.2,96.0] | 92.4 % [90.8,93.7] |
| Lifetime Cigarette Smoking (Ever smoked at least one cigarette) | | |
| Yes | 19.6 % [13.9 , 26.9] | 23.5 % [21.3,25.9] |
| No | 80.4 % [73.1,86.1] | 76.5 % [74.1,78.7] |
| During the past 7 days, days that someone smoked inside your home | | |
| Some days or Every day | 16.4 % [10.8 , 24.0] | 18.4 % [16.4 , 20.7] |
| None | 83.6 % [76.0,89.2] | 81.6 % [79.3,83.6] |
| Influences against tobacco use: Parents | | |
| A lot or Some | 74.9 % [67.2,81.3] | 76.2 % [73.7,78.5] |
| Little or None | 25.1 % [18.7 , 32.8] | 23.8 % [21.5,26.3] |
| | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | , , , , , , |
| Influences against tobacco use: Avoid future health problems | | |
| A lot or Some | 86.6 % [80.4,91.1] | 87.4 % [85.3,89.2] |
| Little or None | 13.4 % [8.9,19.6] | 12.6 % [10.8 , 14.7] |
| Influences against tobacco use: Getting caught/ going to court | | |
| A lot or Some | 58.2 % [47.6,68.1] | 62.6 % [59.1,66.0] |
| Little or None | 41.8 % [31.9,52.4] | 37.4 % [34.0 , 40.9] |
| | | |

| | ESD % [95% C.I.] | State % [95% C.I.] |
|---|--|--|
| Influences against tobacco use: Anti-tobacco clubs/ groups | | |
| A lot or Some | 40.0 % [29.3,51.8] | 37.5 % [33.9 , 41.3] |
| Little or None | 60.0 % [48.2,70.7] | 62.5 % [58.7,66.1] |
| Influences against tobacco use: Tobacco is expensive | 20.0.0/ 1.00.0.40.01 | 20.0.0/ 100.0.221 |
| A lot or Some Little or None | 32.2 % [22.8 , 43.2] 67.8 % [56.8 , 77.2] | 30.2 % [26.9 , 33.7] 69.8 % [66.3 , 73.1] |
| | 07.0 70 [00.0,77.2] | 00.0 70 [00.0 , 70.1] |
| Influences against tobacco use: Don't want to be addicted | | |
| A lot or Some | 76.0 % [68.1,82.5] | 80.6 % [78.2,82.7] |
| Little or None | 24.0 % [17.5 , 31.9] | 19.4 % [17.3 , 21.8] |
| Influences against tobacco use: Setting a bad example for younger kids (Among high school aged youth) | | |
| A lot or Some | 70.0 % [58.0,79.8] | 69.9 % [66.2 , 73.3] |
| Little or None | 30.0 % [20.2 , 42.0] | 30.1 % [26.7 , 33.8] |
| Influences against tobacco use: Friends think tobacco use is "uncool" | | |
| A lot or Some | 63.7 % [55.1,71.5] | 61.3 % [58.5 , 64.0] |
| Little or None | 36.3 % [28.5,44.9] | 38.7 % [36.0 , 41.5] |
| Influences against tobacco use: Worried about current health | | |
| A lot or Some | 80.9 % [74.2,86.2] | 80.0 % [77.7,82.2] |
| Little or None | 19.1 % [13.8,25.8] | 20.0 % [17.8 , 22.3] |
| Influences against tobacco use: Don't want to support tobacco industries | | |
| A lot or Some | 72.2 % [63.5,79.5] | 71.0 % [68.4,73.6] |
| Little or None | 27.8 % [20.5 , 36.5] | 29.0 % [26.4 , 31.6] |
| Influences against tobacco use: Don't want to expose others to secondhand smoke | | |
| A lot or Some | 72.4 % [62.3,80.7] | 66.3 % [62.7 , 69.7] |
| Little or None | 27.6 % [19.3 , 37.7] | 33.7 % [30.3 , 37.3] |
| "If one of your best friends offered you a cigarette, would you smoke it?" (Youth responding any way except "definitely not" are considered vulnerable) | | |
| Possibly | 18.4 % [10.5 , 30.4] | 19.6 % [16.5 , 23.0] |
| Definitely not | 81.6 % [69.6,89.5] | 80.4 % [77.0,83.5] |
| "Do you think teens who smoke are" | | |
| Somewhat or Very popular | 30.4 % [21.6,40.8] | 35.6 % [32.0 , 39.4] |
| Somewhat or Very unpopular | 69.6 % [59.2,78.4] | 64.4 % [60.6,68.0] |

| | ESD % [95% C.I.] | State % [95% C.I.] |
|---|--|--|
| "How risky do you think it is for someone your age to use tobacco?" | | |
| Very risky | 83.8 % [72.2,91.1] | 79.9 % [76.9,82.6] |
| Somewhat, Not very, or Not at all | 16.2 % [8.9,27.8] | 20.1 % [17.4 , 23.1] |
| "How harmful do you think it is for someone your age to | | |
| smoke 1 to 5 cigarettes per day?" Very harmful | 84.8 % [78.8,89.4] | 81.0 % [78.6,83.1] |
| Somewhat, Not very, or Not at all | 15.2 % [10.6,21.2] | 19.0 % [16.9,21.4] |
| "There are so many things that cause cancer, tobacco | | |
| use is not going to make a any difference." | | |
| Somewhat or Strongly agree | 16.3 % [11.4,22.9] | 16.2 % [14.3,18.5] |
| Somewhat or Strongly disagree | 83.7 % [77.1,88.6] | 83.8 % [81.5,85.7] |
| "In general, what percentage of people your age | | |
| smoke cigarettes, in your opinion?" | 32.6 % [28.3,36.9] | 31.7 % [30.2 , 33.2] |
| "In general, what percentage of people your age use | | |
| smokeless tobacco, in your opinion?" | 14.9 % [12.2,17.6] | 15.0 % [13.9 , 16.1] |
| "Tobacco companies should have the same rights to | | |
| advertise their products as other companies." | 26.5.0/ [40.0.24.4] | 20 1 0/ [26 7 21 0] |
| Probably or Definitely Agree Probably or Definitely Disagree | 26.5 % [19.9,34.4] 73.5 % [65.6,80.1] | 29.1 % [26.7 , 31.8] 70.9 % [68.2 , 73.3] |
| , , , | | 70.0 70 [00.2,10.0] |
| "How likely would you be to wear something that has a tobacco company logo or picture on it?" | | |
| Somewhat or Very likely | 6.1 % [3.6 , 10.2] | 7.0 % [5.6,8.6] |
| Somewhat or Very unlikely | 93.9 % [89.8, 96.4] | 93.0 % [91.4 , 94.4] |
| | | |
| "How likely would you be to wear something that has an ANTI-tobacco message/logo on it, like a hat or t-shirt?" | | |
| Somewhat or Very likely | 57.2 % [48.3,65.7] | 54.8 % [52.0 , 57.6] |
| Somewhat or Very unlikely | 42.8 % [34.3 , 51.7] | 45.2 % [42.4 , 48.0] |
| "Are there places near your school where people your age get together and smoke?" | | |
| Yes | 49.9 % [38.8,61.0] | 49.8 % [46.0,53.6] |
| No | 50.1 % [39.0,61.2] | 50.2 % [46.4,54.0] |
| "During the last school year did you practice ways to say 'No' to tobacco, for example, in role playing?" | | |
| Yes | 43.9 % [33.5 , 54.9] | 54.6 % [50.9 , 58.3] |
| No | 56.1 % [45.1,66.5] | 45.4 % [41.7,49.1] |

| | ESD % [95% C.I.] | State % [95% C.I.] |
|---|--|--|
| "During the last school year, how many times did you receive information in classes about the health hazards and dangers of tobacco use?" | | |
| Once or None | 32.0 % [22.6 , 43.2] | 27.2 % [24.1 , 30.6] |
| 2-3 times | 28.5 % [18.6,41.1] | 27.1 % [23.7,30.7] |
| 4 or more times | 39.5 % [29.4 , 50.5] | 45.7 % [42.0,49.4] |
| "Did this tobacco education you received during the last year make you think about whether or not you should smoke or use chewing tobacco?" (Among youth who had 1+ days of education) | | |
| Definitely yes | 76.2 % [64.4 , 85.1] | 76.7 % [73.2,79.9] |
| Probably or Definitely no | 23.8 % [14.9 , 35.6] | 23.3 % [20.1 , 26.8] |
| "During the past school year, did you participate in any activities to encourage other youths to say 'No' to tobacco – for example through youth groups, health fairs, or presentations to younger children?" Yes No | 28.3 % [14.7,47.5] 71.7 % [52.5,85.3] | 23.3 % [19.3,28.0] 76.7 % [72.0,80.7] |
| | . , . | . , . |
| "Have either of your parents or guardians talked to you about tobacco use?" | | |
| Yes | 81.4 % [72.1,88.0] | 84.6 % [82.4,86.6] |
| No | 18.6 % [12.0,27.9] | 15.4 % [13.4 , 17.6] |
| "Have your parents specifically told you that they do not want you to use tobacco?" | | |
| Yes | 87.7 % [49.3,66.4] | 83.7 % [46.8,52.4] |
| No | 12.3 % [33.6 , 50.7] | 16.3 % [47.6,53.2] |
| "During the past 30 days, how often did you see commercials on TV about the dangers of tobacco use or about not smoking?" | | |
| At least once per week | 77.0 % [68.9,83.5] | 81.2 % [79.0,83.3] |
| Less than once per week | 23.0 % [16.5 , 31.1] | 18.8 % [16.7 , 21.0] |
| "Have any of the advertisements you've seen made you think about whether or not you should use tobacco?" | | |
| Yes | 68.4 % [59.7,76.1] | 68.4 % [65.6,71.0] |
| No | 31.6 % [23.9,40.3] | 31.6 % [29.0,34.4] |